



ప్రభుత్వ వైద్య కళాశాల, సిద్దిపేట

“సర్వే నం. 54, 1వ అంతస్తు, ప్రభుత్వ
వైద్య కళాశాల, ఇన్నాన్ పల్లి,
సిద్దిపేట - 502114 వద్ద
క్యాంటీన్ కొరకు టెండర్లు పిలువబడుతున్నవి”

“టెండరు కాలవ్యవధి ప్రకటన తేదీ నుండి
ఒక వారం వరకు ఉంటుంది”

తదుపరి సమాచారం కొరకు ప్రభుత్వ వైద్య
కళాశాల, సిద్దిపేట వెబ్ సైట్

<https://gmcsiddipet.org>ను చూడగలరు.

సం/- డైరెక్టర్, ప్రభుత్వ వైద్య కళాశాల,
సిద్దిపేట జిల్లా - 502103

DIPR RO.No 5278-PP/CL/ADVT/1/2024-25 తేదీ. 14.10.2024

OFFICE OF THE DIRECTOR, GOVT. MEDICAL COLLEGE, SIDDIPET

Rc.No.204/Academic/GMC/SDPT/2024

Dated. 15.10.2024

TENDER NOTIFICATION

Tenders are invited in the sealed cover in the name of the Director, Govt. Medical College, Siddipet from reputed firms for running canteen in the premises of Govt. Medical College, Siddipet for a period of 2 Years. The Canteen is situated at 1st (First) Floor of this college, should cater to the needs of about 875 Students and 80 (Approx) Staff members of this College.

Firms should have past experience in running such Canteen for a minimum of 2 Years. The Firms willing to quote more than of Rs.15,000/- per month as rent and willing to supply the food items as per the rate and quantity fixed by the Canteen Committee only, need to submit the tenders.

Tender Application forms are available at the above address on payment of Rs.1000/- in favour of "College Development Society, Govt. Medical College, Siddipet One week from Issue of notification date during the working hours 11.00 A.M to 3.00 P.M on working days only.

Last date for submission of the Application form at the address :

Office of the Director, Government Medical College.

Survey NO.54, Ensanpally Siddipet-502114.

Tenders will be opened on 24-10-2024 at 3.00 PM in the College premises.

List of the Items :

1. Tiffins(South Indian & North Indian)
2. Snacks (Samosa, Sandwich Etc)
3. Tea & Coffee
4. Fruit Juices
5. Cool Drinks → and other food items through approval of the Tender Committee.

Contact No: 9848515118
A.O.Gmc Sdpt

Sd/- Director,
Govt.Medical College,
Siddipet